

DEEP FRYER 2 x 8 \cdot SPAZA



manufacturing SINCE 1966

SPECIFICATIONS

POWER
VOLTAGE
PACKAGING (W x D x H)
UNIT (W x D x H)
NET WEIGHT
GROSS WEIGHT
SHIPPING VOLUME
VOLUME OF OIL
PRODUCT OUTPUT

2 x 3.4kW 230V - 50Hz 850 x 640 x 500 (mm) 813 x 628 x 1152 (mm) 31.54kg 33.2kg 0.27m³ 2 x 8ℓ

Approx 10kg French Fries Per Hour

Model: FFA1002



FEATURES

- A powerful floor standing unit that is reliable and cost effective
- This fryer has 2 x 8ℓ tanks
- Each insert has a powerful 3.4kW element
- There is an integrated splash back with basket hanger facility
- Ideal for smaller catering organizations
- Valve fitted to drain the oil easily

- Pilot light indicates when elements are energised
- Should the control thermostat fail, the safety switch will prevent the oil from overheating and flashing
- Operating temperature: 50°C 190°C
- Working area constructed from Stainless Steel

NOTE:


- Stainless steel baskets sold separately
- Supplied flat packed
- Should Be Connected to 2 Separate 16amp Plugs on Separate Curcuits




THE CHEFS COMPANION

Model: FFA1002

813 mm





SPECIFICATIONS

POWER VOLTAGE PACKAGING (W x D x H) UNIT (W x D x H) **NET WEIGHT GROSS WEIGHT** SHIPPING VOLUME **VOLUME OF OIL** PRODUCT OUTPUT

2 x 3.4kW 230V - 50Hz 850 x 640 x 500 (mm) 813 x 628 x 1152 (mm) 31.54kg 33.2kg $0.27m^{3}$ 2 x 8 l

Approx 10kg French Fries Per Hour

OPTIONAL EXTRAS

BASKET		
	CODE	DESCRIPTION
	FFB2250	Fryer Basket - S/Steel

NOTE

When viewing the appliance from the front in it's usual operating position, the width (W) of the product is the total distance from left to right; the depth (D) of the product is the total distance from the front to the back; the height (H) is the total distance from the bottom of the product to the top. Pictures may vary from actual product.

DISCLAIMER

Output performance figures quoted are dependent on various factors. Anvil reserves the right, without notice, to make changes and revisions to product specifications, materials and design, when we believe it will provide better performance, durability, and efficiency. Unit measurements may vary depending on point of reference.



www.anvilworld.com

Published Date: 2019.01.28