



ALL ANVIL EQUIPMENT COMES WITH A TWO  
YEAR WARRANTY ON COMPONENTS AND  
DEFECTIVE WORKMANSHIP.

MANUFACTURING  
SINCE 1966



2 YEAR  
WARRANTY

#### CONTACT INFO

✉ info@anvilworld.com



[www.anvilworld.com](http://www.anvilworld.com)



years of South African innovation



ANVIL

WE DELIVER THE HIGHEST STANDARDS OF PERFORMANCE  
AND RELIABILITY THROUGHOUT OUR RANGE OF  
PROFESSIONAL KITCHEN EQUIPMENT.

ANVILWORLD.COM

#### DISCLAIMER

- The products may differ slightly from the pictures shown in this catalogue. Output and capacities given are the maximum possible, and these figures do vary according to circumstances. Products information is subject to change.

## Product Guide



Proudly Manufactured in South Africa



# INDEX

## HEATING

Chicken Rotisserie	13
Chip Dump	6
Combi Steam Ovens	17-18
Convection Ovens	15-16
Dip-A-Lait	14
Fryers- Electric CT	1-2
Fryers- Electric FS	4-5
Fryers – Gas	3
Grillers- Electric	9
Grillers- Gas CT	10
Grillers- Gas FS	11
Hot Food Bars	19
Pie Warmers	14
Pizza Ovens	12
Proofing Cabinet	15
Riser Shelves	19
Salamanders	20
Stove Plates	7
Toaster- Gas	8
Vertical Bun Toaster	12
Waffle Bakers	13

## PROCESSING

Cheese cutter	22
Potato Peeler	22
Wrapping Machines	22



## HEATING

Our comprehensive range of products will ensure your kitchen has reliable, dependable equipment to cater to all your cooking and heating needs. Also, as an experienced appliance equipment manufacturer, we place a strong emphasis on the use of high-quality materials and components in our products, ensuring they are built to last.

FRYERS - Table top

FEATURES

- Specially designed tilt-up head for easy removal of oil tank to drain the oil
- Microswitch disconnects power when element box is removed or tilted
- Thermostatically controlled operating temperature range: 50°C - 190°C
- Automatic safety cut-out to prevent oil flashing – manual resettable
- Longer optimised heating element covers more surface area and prolongs oil life
- The oil tank has slip-away handles for easy removal
- Rugged Stainless Steel wire basket with insulated handle
- Larger basket design promotes even cooking and better oil drainage
- Recommended portion size 250g per 5Lt tank
- Produced in South Africa using heavier gauged Stainless Steel
- Available in Single or Double Pan for increased versatility



✓ 120V	FFA2001
	FISH FRYER - SINGLE PAN (ELEC)
	<b>SPECIFICATIONS</b>
OUTPUT:	Approx 4kg french fries an hour
POWER:	2.5kW
VOLTAGE:	230V
VOLUME OF OIL:	5Lt
DIMENSIONS:	282 x 470 x 288mm
WEIGHT:	6kg
IDEAL FOR:	RAW PRODUCT

✓ 120V	FFA2002
	FISH FRYER - DOUBLE PAN (ELEC)
	<b>SPECIFICATIONS</b>
OUTPUT:	Approx 8kg french fries an hour
POWER:	2 x 2.5kW
VOLTAGE:	2 x 230V
VOLUME OF OIL:	2 x 5Lt
DIMENSIONS:	573 x 470 x 288mm
WEIGHT:	12kg
IDEAL FOR:	RAW PRODUCT



- Note
- Stainless Steel baskets and night lids included
  - Made in RSA



<b>OTHER ORDER CODES</b>
FFI0001- FISH FRYER - NIGHT COVER ONLY
FFI0150- FISH FRYER - INSERT 1/2 x 150mm
FFB2250- FISH FRYER BASKET - SPARE BASKET - S/STEEL

Note  
FFA2002  
MUST BE CONNECTED TO 2 SEPARATE 16AMP PLUGS ON SEPARATE CIRCUITS

FRYERS - Table top

FEATURES

- A unique unit developed by McCain and Anvil to produce a perfect chip straight from the freezer to the plate
- Specially designed tilt-up head for easy removal of oil tank to drain the oil
- Microswitch disconnects power when element box is removed or tilted
- Automatic safety cut-out to prevent oil flashing – manual resettable
- Use with McCain frozen chips for best results
- Fries frozen chips within 3 minutes\* preventing oil saturation, producing a crispier and tastier chip



✗ 120V	FFA5001
	FISH FRYER - FROZEN CHIP MCCAINS - SINGLE- ELEC
	<b>SPECIFICATIONS</b>
OUTPUT:	Approx 6kg french fries / hr
POWER:	3.4kW
VOLTAGE:	230V
VOLUME OF OIL:	5Lt
DIMENSIONS:	282 x 470 x 288mm
WEIGHT:	8.6kg
IDEAL FOR:	Frozen products

OTHER ORDER CODES

FFB2260  
FISH FRYER BASKET - MCCAINS / FRYER  
FFI0001  
FISH FRYER - NIGHT COVER ONLY

- Note
- Stainless Steel basket and night lid included
  - Made in RSA

HIGH SPEED FRYER - Table top

FEATURES

- Stainless Steel handle to hinge the element to 90° for easy cleaning
- Hinged element safely locks into 90° position
- Stainless Steel tank designed with surge area
- 1/2" Valve for easy oil drainage
- Thermostatically controlled with automatic safety cut-out to prevent oil flashing



✗ 120V	FFA6003
	FISH FRYER - 1 x 10Lt - HIGH SPEED - 5.6kW - ELEC
	<b>SPECIFICATIONS</b>
OUTPUT:	Approx 9kg french fries / hr
POWER:	5.6kW
VOLTAGE:	230V - 2 phase - 50Hz
VOLUME OF OIL:	10Lt
DIMENSIONS:	390 x 512 x 422mm
WEIGHT:	16kg

OTHER ORDER CODES

FFB2250  
FISH FRYER BASKET - SPARE BASKET - S/STEEL

- Note
- Stainless Steel basket and night lid included
  - Made in RSA

GAS FRYER - Table top

FEATURES

- Safety approved by LPG Safety Association of SA
- Automatic electric piezo starter
- Stainless Steel construction for easy cleaning
- Fully welded oil tank fitted with a safety interlocked drain valve neatly fitted behind the door
- Thermostatically controlled valve with integrated pilot burner



Ngas FFA4110

FISH FRYER - SINGLE PAN - GAS

SPECIFICATIONS

PRODUCTION OUTPUT: Approx 4kg french fries / hr  
OUTPUT: 13000 BTU (3.81kW)  
GAS: LPG  
VOLUME OF OIL: 10Lt  
DIMENSIONS: 300 x 618 x 458mm  
WEIGHT: 17kg  
REGULATOR: Yes



OTHER ORDER CODES

FFB2250

FISH FRYER BASKET- SPARE BASKET- S/STEEL

Note

- Stainless Steel basket and night lid included
- Made in RSA

FEATURES

- Safety approved by LPG Safety Association of SA
- Electric piezo starter
- Stainless Steel construction for easy cleaning
- Fully welded oil tank fitted with a safety interlocked drain valve neatly fitted behind the door
- Thermostatically controlled valve with integrated pilot burner



Ngas FFA4120

FISH FRYER - DOUBLE PAN - GAS

SPECIFICATIONS

PRODUCTION OUTPUT: Approx 8kg french fries / hr  
OUTPUT: 26000 BTU (7.62kW)  
GAS: LPG  
VOLUME OF OIL: 2 x 10Lt  
DIMENSIONS: 608 x 618 x 458mm  
WEIGHT: 30kg  
REGULATOR: Yes



OTHER ORDER CODES

FFB2250

FISH FRYER BASKET- SPARE BASKET- S/STEEL

Note

- Stainless Steel baskets and night lids included
- Made in RSA

FLOOR STANDING FRYERS - Electric

FEATURES

- Large surge area and effective cold zone
- Stainless Steel tank
- Supplied with one drain tank
- Temperature thermostatically controlled with safety cut-out to prevent oil flashing



Note

- Stainless Steel baskets sold separately
- Supplied with night lids
- Made in RSA

FEATURES

- Front mounted controls ensure safe working practice. Main terminals are situated behind the front access panel
- These units are powered by Incoloy elements which ensure consistent peak performance
- Fitted with a 40mm diameter drain valve



- Adjustable feet for levelling
- Large 40mm drain valve for fast effective draining
- Operating temperature range: 50°C-190°C



120V FFA2010

FISH FRYER - 2 x 10Lt - 16.5kW - ELEC

SPECIFICATIONS

OUTPUT: Approx 40kg french fries / hr  
POWER: 2 x 8.25kW  
VOLTAGE: 380V - 3 phase (Neutral and Earth)  
VOLUME OF OIL: 2 x 10Lt  
DIMENSIONS: 510 x 660 x 1000mm  
WEIGHT: 45kg

OTHER ORDER CODES

CBS2280

CHIPBASKET- 280 x 179 x 130mm (NO SIDE HOOKS)

ORA0002

OIL RECEIVER

- Temperature thermostatically controlled with safety cut-out to prevent oil flashing
- Supplied with one drain tank
- Adjustable feet for levelling
- Operating temperature range: 50°C-190°C



120V FFA1020

FISH FRYER - 1 x 20Lt - 16.5kW - ELEC

SPECIFICATIONS

OUTPUT: Approx 40kg french fries / hr  
POWER: 16.5kW  
VOLTAGE: 380V - 3 phase (Neutral and Earth)  
VOLUME OF OIL: 20Lt  
DIMENSIONS: 510 x 660 x 1000mm  
WEIGHT: 45kg

OTHER ORDER CODES

CBS2280

CHIP BASKET - 280 x 179 x 130mm - NO SIDE HOOKS

ORA0001

OIL RECEIVER

Note

- Stainless Steel baskets sold separately
- Supplied with night lids
- Made in RSA



FLOOR STANDING FRYERS - Electric

FEATURES

- Large surge area and effective cold zone
- High power for optimal recovery time
- Unit supplied with one drain tank
- Each tank is fitted with a manual reset safety thermostat
- Temperature thermostatically controlled with safety cut-out to prevent oil flashing
- Stainless Steel construction for easy cleaning
- Reduce the risk of down time with 3 elements per tank (Unit will function with reduced performance if an element fails)
- Adjustable feet for levelling
- Operating temperature range: 50°C-190°C



☒ 120V FFA2020  
FISH FRYER - 2 x 20Lt - 33kW - ELEC  
**SPECIFICATIONS**  
PRODUCTION OUTPUT: Approx 80kg french fries / hr  
POWER: 2 x 16.5kW  
VOLTAGE: 380V - 3 phase (Neutral and Earth)  
VOLUME OF OIL: 2 x 20Lt  
DIMENSIONS: 1012 x 660 x 1000mm  
WEIGHT: 65kg

OTHER ORDER CODES  
CBS2280  
CHIP BASKET- 280 x 179 x 130mm (NO SIDE HOOKS)

- Note
- Stainless Steel baskets sold separately
  - Supplied with night lids
  - Made in RSA



CHIP DUMP

FEATURES

- Fitted with incoloy element
- Ideal for keeping product warm
- The lamp illuminates product for enhanced presentation
- Sloped drip tray makes serving easier and avoids damage to the product being scooped out



☑ 120V CDA0001  
CHIP DUMP  
**SPECIFICATIONS**  
POWER: 0.9kW  
VOLTAGE: 230V  
DIMENSIONS: 340 x 650 x 489mm  
WEIGHT: 8kg

Note  
Made in RSA

MULTI-FUNCTIONAL WARMER



FEATURES

- Robust incoloy heating element provides even heating
- Lamp illuminates product for enhanced presentation
- Top and bottom heating
- Supplied with a sloped drip tray for use with chips
- Used on buffets, carveries and outside catering

☑ 120V CDA1003  
MULTI FUNCTIONAL WARMER  
**SPECIFICATIONS**  
POWER: 1.9kW  
VOLTAGE: 230V  
DIMENSIONS: 346 x 671 x 596mm  
WEIGHT: 16kg

Note  
Made in RSA

CHIP DUMP - Floor standing



FEATURES

- Robust incoloy heating element provides even heating
- Lamp illuminates product for enhanced presentation
- Storage racks for 3 x GN1/1 x 150mm inserts
- Sloped drip tray makes serving easier and avoids damage to the product being scooped out
- Compliments Anvil floor standing fryer range

☑ 120V CDA2001  
CHIP DUMP ANVIL - FLOOR STANDING  
**SPECIFICATIONS**  
POWER: 0.9kW  
VOLTAGE: 230V  
DIMENSIONS: 449 x 620 x 1288mm  
WEIGHT: 25kg

Note

- Inserts included
- Made in RSA

STOVE PLATES

FEATURES

- For hygienic boiling and simmering
- Anvil hot plates are built with safety and robustness in mind
- Rapid heat up time. Specially designed industrial quality elements which can be left on all day
- Six-stage heat switch for simmering and boiling
- Splash guard
- Strong enough to hold a 60Lt Pot



☒ 120V STA0001  
STOVE - SINGLE PLATE  
SPECIFICATIONS  
POWER: 2.0kW  
VOLTAGE: 230V  
PLATE DIAMETER: 225mm  
DIMENSIONS: 333 x 508 x 225mm  
WEIGHT: 7kg



☒ 120V STA1002  
STOVE - DOUBLE PLATE  
SPECIFICATIONS  
POWER: 1 x 1.2kW- 1 x 2.0kW  
VOLTAGE: 230V  
PLATE DIAMETER: 1 x 190mm - 1 x 225mm  
DIMENSIONS: 381 x 693 x 244mm  
WEIGHT: 12kg

Note  
Made in RSA



☒ 120V STA0002  
STOVE - DOUBLE PLATE  
SPECIFICATIONS  
POWER: 1 x 1.2kW- 1 x 2.0kW  
VOLTAGE: 230V  
PLATE DIAMETER: 1 x 190mm - 1 x 225mm  
DIMENSIONS: 580 x 508 x 225mm  
WEIGHT: 11kg

TOASTER - Gas

FEATURES

- Used for panini sandwiches
- They are perfect for outside catering needs like food trucks or when the electricity supply is limited
- Allows operator to create a ribbed effect on the food
- An adjustable top plate for a variety of food thicknesses
- Innovative plate and burner design gives improved performance
- Drip cup to catch excess grease
- Heat resistant handle
- Ribbed top and bottom die cast aluminium plates



☑ Ngas TSA9209  
TOASTER PANINI RIBBED - 9 SLICE- GAS  
SPECIFICATIONS  
OUTPUT: 6000 BTU  
GAS: LPG  
DIMENSIONS: 355 x 466 x 327mm  
WEIGHT: 14kg  
COOKING SURFACE: 330 x 355 (mm)  
REGULATOR: No

Note  
Made in RSA





GRILLERS - Electric

FEATURES

- Heavy duty 10mm cooking plate for high heat retention
- Grease trough drains into bottom mounted grease collection pan
- Splashback prevents undue grease spattering
- Rapidly heats up to optimum cooking temperature
- Flat top griller thermostatically controlled up to a max of 300°C
- Egg griller thermostatically controlled up to max of 180°C
- Element design ensures even heating over entire cooking surface
- Buy the half flat / half ribbed griddle to give you versatility, use the flat half for bacon and eggs and the ribbed side to give burgers and steaks the authentic “grill house look”



A



B



C



D



E



F

✓ 120V FTA0400

FLAT TOP GRILL - 400mm - ELEC

SPECIFICATIONS

POWER: 2kW  
VOLTAGE: 230V  
GRILL AREA: 355 x 420mm  
DIMENSIONS: 373 x 470 x 241mm  
WEIGHT: 19kg

✓ 120V FTA4400

FLAT TOP GRILL - EGG GRILLER - 400mm - ELEC

SPECIFICATIONS

POWER: 2kW  
VOLTAGE: 230V  
GRILL AREA: 355 x 420mm  
DIMENSIONS: 373 x 470 x 241mm  
WEIGHT: 19kg

✗ 120V FTA0600

FLAT TOP GRILL - 600mm - ELEC

SPECIFICATIONS

POWER: 3kW  
VOLTAGE: 230V  
GRILL AREA: 605 x 420mm  
DIMENSIONS: 623 x 470 x 241mm  
WEIGHT: 30.2kg

✗ 120V FTA4600

FLAT TOP GRILL - 600mm - ELEC

SPECIFICATIONS

POWER: 5.6kW  
VOLTAGE: 230V / 2 PHASE  
GRILL AREA: 605 x 420mm  
DIMENSIONS: 623 x 470 x 241mm  
WEIGHT: 30.2kg

✗ 120V FTA2600

FLAT TOP GRILL - RIBBED / FLAT - 600mm - ELEC

SPECIFICATIONS

POWER: 3kW  
VOLTAGE: 230V  
GRILL AREA: 605 x 420mm  
DIMENSIONS: 623 x 470 x 241mm  
WEIGHT: 30.2kg

✗ 120V FTA1600

FLAT TOP GRILL - EGG & BACON - 600mm - ELEC

SPECIFICATIONS

POWER: 3kW  
VOLTAGE: 230V  
GRILL AREA: 605 x 420mm  
DIMENSIONS: 623 x 470 x 241mm  
WEIGHT: 30.2kg

✗ 120V FTA0900

FLAT TOP GRILL - 900mm - ELEC

SPECIFICATIONS

POWER: 8.4kW  
VOLTAGE: 380V / 3 PHASE  
GRILL AREA: 900 x 420mm  
DIMENSIONS: 900 x 470 x 241mm  
WEIGHT: 45.6kg

Note  
Made in RSA

GRILLERS - Gas

FEATURES

- New improved design
- Front mounted easy access drip tray
- Anvil gas griddles are ideal for grilling steaks, chops, burgers, mixed grill, fish, pancakes, eggs, sausages, tomatoes etc. Gas griddles are also ideal for use outdoors and in areas where electricity is unavailable
- Easy to connect - 1m flexible hose and regulator supplied
- Ignition mechanism for easy igniting



- Flame failure device which shuts down the gas supply should the flame go out
- Adjustable feet for levelling the unit
- Regulator supplied works off low pressure (2.8Kpa) liquefied petroleum gas and is suitable for large cylinders (from 9kg - 48kg) To use a smaller portable cylinder, a coupling connector and a suitable regulator must be purchased separately
- Safety approved by LPG Safety Association of SA

✓ Ngas FTA2400

FLAT TOP GRILL - 400mm - GAS

SPECIFICATIONS

SURFACE: Flat top  
GAS: LPG  
OUTPUT: 12 500 BTU  
DIMENSIONS: 400 x 514 x 273mm  
GRILL AREA: 400 x 400mm  
WEIGHT: 18kg  
REGULATOR: Yes

✓ Ngas FTA6600

FLAT TOP GRILL - FLAT 600mm - GAS

SPECIFICATIONS

SURFACE: Fla  
GAS: LPG  
OUTPUT: 25000 BTU  
DIMENSIONS: 620 x 446 x 244mm  
GRILL AREA: 616 x 400mm  
WEIGHT: 28kg  
REGULATOR: Yes

✓ Ngas FTA1900

FLAT TOP GRILL - FLAT 900mm - GAS

SPECIFICATIONS

SURFACE: Flat  
GAS: LPG  
OUTPUT: 37 500 BTU  
DIMENSIONS: 893 x 446 x 244mm  
GRILL AREA: 889 x 400mm  
WEIGHT: 32kg  
REGULATOR: Yes

Note

- Heavy duty gas products to be connected by an approved gas installer
- Made in RSA



GRILLERS - Gas

FEATURES

- New improved higher performance
- Powerful efficient burners
- Quality gas valves
- Stainless Steel splash guard
- Robust modular construction
- Flat grill plates available as an optional extra on 6 & 10 radiant units only

- Drip tray included
- Cast iron grates.
- Products are safety approved by the LPG Safety Association of SA
- Base with storage shelf
- Extended front bullnose
- Die cast metal knobs.
- 16000 BTU per burner



☑ Ngas **GGA4006**  
GAS GRILLER - 6 BURNER RADIANT - FREE STANDING  
**SPECIFICATIONS**  
SURFACE: Ribbed grates  
GAS: LPG  
OUTPUT: 96000 BTU (28kW)  
DIMENSIONS: 815 x 740 x 1050mm  
GRILL AREA: 680 x 470mm  
WEIGHT: 75kg  
REGULATOR: Yes



☑ Ngas **GGA4008**  
GAS GRILLER - 8 BURNER RADIANT - FREE STANDING  
**SPECIFICATIONS**  
SURFACE: Ribbed grates  
GAS: LPG  
OUTPUT: 128000 BTU (37.5kW)  
DIMENSIONS: 955 x 740 x 1050mm  
GRILL AREA: 900 x 470mm  
WEIGHT: 59.3kg  
REGULATOR: No



☑ Ngas **GGA4010**  
GAS GRILLER - 10 BURNER RADIANT - FREE STANDING  
**SPECIFICATIONS**  
SURFACE: Ribbed grates  
GAS: LPG  
OUTPUT: 160000 BTU (47kW)  
DIMENSIONS: 1255 x 740 x 1050mm  
GRILL AREA: 1120 x 470mm  
WEIGHT: 91kg  
REGULATOR: No

Note

- Heavy duty gas products to be connected by an approved gas installer
- Made in RSA

OTHER ORDER CODES  
**GGA2006**  
GAS GRILLER - GRILL PLATE FOR 6 BURNER RADIANT - THIRD SOLID  
**GGA2010**  
GAS GRILLER - GRILL PLATE FOR 10 BURNER RADIANT - THIRD SOLID



VERTICAL BUN TOASTER

FEATURES

- Compact small footprint
- 6 Position thickness settings from process /heating surface
- Heavy duty Stainless Steel wire conveyor belt system
- Precision cartridge bearing conveyor shafts for smooth operation
- Bun exit chute reversible for front or rear access

- Supplied with 1 Teflon release sheet that fits over plate element
- Low energy consumption 0,75kW/h (no load)
- Variable heating control from 50°C - 250°C
- Energy efficient Aluminium Heating Plate 2kW



☒ 120V **VTA0101**  
VERTICAL BUN TOASTER - SINGLE SLOT  
**SPECIFICATIONS**  
POWER: 230V / 50Hz / 60Hz - 2.2kW  
DIMENSIONS: 702 x 327 x 568mm  
WEIGHT: 27.6kg

Note  
Made in RSA

PIZZA OVEN - Twin shelf

FEATURES

- Robust Stainless Steel construction
- 3 x Heating elements for accurate heat distribution
- 2 Ceramic plates
- Suitable for fresh or frozen pizza
- Temp range 60°C - 400°C
- 15 Min timer



☑ 120V **POA1001**  
PIZZA OVEN - TWIN SHELF - SMALL  
**SPECIFICATIONS**  
CAPACITY: 2 Standard size pizzas - 300mm  
VOLTAGE: 230V  
POWER: 2.85kW  
DIMENSIONS: 588 x 645 x 468mm  
CHAMBER DIMENSIONS: 470 x 487 x 239mm (Complete)  
WEIGHT: 40kg

Note  
Made in RSA



CHICKEN ROTISSERIE'S



FEATURES

- Produces 8 delicious chickens at a time
- Ideal for small supermarkets, restaurants, takeaways, etc
- Hot air circulation using a fan to ensure even heat distribution
- Drip tray included
- Operating temperature: 50°C-250°C

- ☐ 120V
- ☒ 60Hz

CGA0008

CHICKEN GRILLER- 8 BIRD - ELEC

SPECIFICATIONS

CAPACITY: 8 x 1.2kg chickens  
POWER: 2,7kW  
VOLTAGE: 230V, 50Hz  
DIMENSIONS: 743 x 567 x 587mm  
WEIGHT: 35kg  
COOKING TIME: Approx 1 hour 40min @ 180°C

FEATURES

- Produces 16 delicious chickens at a time
- Ideal for small supermarkets, restaurants, takeaways, etc
- Hot air circulation using 2 fans to ensure even heat distribution
- Drip tray included
- Operating temperature: 50°C-250°C

- ☐ 120V
- ☒ 60Hz

CGA0016

CHICKEN GRILLER- 16 BIRD - ELEC

SPECIFICATIONS

CAPACITY: 16 x 1.2kg Chickens  
POWER: 5kW  
VOLTAGE: 230V- 2 phase- 50Hz  
DIMENSIONS: 943 x 560 x 617mm  
WEIGHT: 55kg  
COOKING TIME: Approx 1 hour 30min @ 180°C

Note  
Made in RSA



WAFFLE BAKERS

FEATURES

- Thermostat inside the unit is pre-set at 200°C . The timer function can be used to bake the waffles to the required finish
- Breakfast, lunch or dinner, serve up profitable customer favourite waffles in a wide variety of food service applications. Double plate units can be independently operated, saving money through energy efficiency

- ☒ 120V

WBA0001

WAFFLE BAKER - 1 PLATE

SPECIFICATIONS

POWER: 0.8kW  
VOLTAGE: 230V  
PLATE DIAMETER: 185mm  
DIMENSIONS: 255 x 370 x 260mm  
WEIGHT: 7kg

- ☒ 120V

WBA0002

WAFFLE BAKER - 2 PLATE

SPECIFICATIONS

POWER: 1.6kW  
VOLTAGE: 230V  
PLATE DIAMETER: 185mm  
DIMENSIONS: 510 x 370 x 260mm  
WEIGHT: 14kg

Note  
Made in RSA



PIE WARMER MINI



FEATURES

- This attractive unit with illuminated display and superb product visibility offers excellent point-of-sale value
- Convenient front and rear sliding doors provide quick, easy access
- Humidity pan prevents drying out
- Front mounted temperature indicating gauge for monitoring internal temperature
- Suitable for bakeries, take-aways and convenience stores
- Shelves can be adjusted and sloped for display purposes
- Thermostatically controlled heater, temp range 50°C - 90°C

- ☒ 120V

PWK0007

PIE WARMER - MINI

SPECIFICATIONS

VOLTAGE: 230V  
POWER: 0.75kW  
DIMENSIONS: 353 x 393 x 604mm  
WEIGHT: 13.7kg

- ☒ 120V

PWA1007

PIE WARMER - 450mm

SPECIFICATIONS

POWER: 1.5kW  
VOLTAGE: 230V - 50Hz  
DIMENSIONS: 453 x 664 x 503mm  
WEIGHT: 25kg  
Shelves: 4

Note  
Made in RSA



SAUCE WARMER - Dip-a-Lait

FEATURES

- For ice cream dips, chocolate and caramel sauces and even gravies
- Includes 2 inserts (2 x 2Lt)
- Dry heat
- Variable heat control

- ☒ 120V

DLA0002

DIP-A-LAIT - 2 DIVISION

SPECIFICATIONS

CAPACITY: 4Lt  
POWER: 0.125kW  
VOLTAGE: 230V  
DIMENSIONS: 340 x 247 x 307mm  
WEIGHT: 4kg

Note  
Made in RSA



PROOFING CABINET



FEATURES

- Double glass doors for space saving and viewing
- Sturdy top to place oven on
- Accommodates 9 x 600 x 400mm baking trays
- Six heat settings for versatile proofing

☑ 120V

POA0001

PROVER OVEN

SPECIFICATIONS

POWER: 0.75kW  
VOLTAGE: 230V  
DIMENSIONS: 860 x 591 x 969mm  
CHAMBER DIMENSIONS: 650 x 510 x 695mm  
RUNNER SPACING: 70mm  
WEIGHT: 42kg

OTHER ORDER CODES

BTA0011

BAKING TRAY ALUMINIUM 600 x 400 x 20mm

Note

- Trays not included - sold separately
- Made in RSA

GRANDE FORNI CONVECTION OVEN

Manual Humidity - Mechanical

FEATURES

- Steam injection for manual humidity control which allows for browning of pastry and bread products
- Industrial duty fans with reversing gear

- Can accommodate 600 x 400mm baking trays and GN1/1 pans
- Operating temperature: 50°C-300°C



☒ 120V

COA1005

CONVECTION OVEN - GRANDE FORNI

SPECIFICATIONS

POWER: 5.6kW  
VOLTAGE: 230V - 2 phase - 50Hz  
DIMENSIONS: 835 x 800 x 596mm  
CHAMBER DIMENSIONS: 704 x 494 x 352mm  
RUNNER SPACING: 75mm  
WEIGHT: 66.5kg  
INCLUDES: 2 x chrome grids  
SHELF CAPACITY: 4

Note

Made in RSA

GRANDE FORNI OVEN STAND



FEATURES

- Flat pack construction
- Easy to assemble, instructions and tool supplied
- Removable chrome plated shelf runners for easy cleaning
- Provision for 8 Baking trays or full size 1/1GN pans

COR0005

CONVECTION OVEN GRANDE FORNI STAND ONLY

SPECIFICATIONS

DIMENSIONS: 840 x 710 x 900mm

CONVECTION OVENS - Mechanical

FEATURES

- Stainless Steel exterior and interior
- Rounded interior corners and removable shelf runners ensure ease of cleaning
- The oven is fan assisted and fitted with a custom designed baffle plate. This ensures that excellent temperature distribution is achieved providing a reliable baking uniformity and a product which is perfectly baked on both sides making it superior to static ovens
- The Prima Pro unit is provided with a grill element making it ideal for browning, roasting and grilling
- A bake timer is also included to automatically switch off after a preset period
- Interior light is fitted as a standard feature
- Operating temperature: 50°C-300°C



☑ 120V

☑ 60Hz

COA1001

CONVECTION OVEN - MINI PRIMA

SPECIFICATIONS

POWER: 1.2kW  
VOLTAGE: 230V - 50Hz  
DIMENSIONS: 477 x 524 x 218mm  
CHAMBER DIMENSIONS: 350 x 260 x 218mm – 1 FANS  
RUNNER SPACING: 40- 70mm  
WEIGHT: 16kg  
INCLUDES: 3 x CHROME GRIDS  
TIMER FUNCTION

☑ 120V

☑ 60Hz

COA1002

CONVECTION OVEN - PRIMA PRO LITE

SPECIFICATIONS

POWER: 1.2kW  
VOLTAGE: 230V - 50Hz  
DIMENSIONS: 595 x 622 x 457mm  
CHAMBER DIMENSIONS: 470 x 330 x 240mm – 2 FANS  
RUNNER SPACING: 40- 70mm  
WEIGHT: 22kg  
INCLUDES: 3 x CHROME GRIDS  
GRILL FUNCTION AND TIMER

☒ 120V

☑ 60Hz

COA1003

CONVECTION OVEN - PRIMA

SPECIFICATIONS

POWER: 2.4kW  
VOLTAGE: 230V - 50Hz  
DIMENSIONS: 595 x 622 x 590mm  
CHAMBER DIMENSIONS: 602 x 652 x 596mm - 2 fans  
RUNNER SPACING: 40 - 70mm  
WEIGHT: 34.2kg  
INCLUDES: 4 x Chrome grids - 445 X 320mm  
Timer function

☒ 120V

☑ 60Hz

COA1004

CONVECTION OVEN - PRIMA PRO

SPECIFICATIONS


POWER: 2.4kW  
VOLTAGE: 230V - 50Hz  
DIMENSIONS: 595 x 622 x 590mm  
CHAMBER DIMENSIONS: 602 x 652 x 596mm - 2 fans  
RUNNER SPACING: 40 - 70mm  
WEIGHT: 34.2kg  
INCLUDES: 4 x Chrome grids - 445 X 320mm  
Grill function and timer

Note

Made in RSA

CONVECTION OVEN - Trays

Suitable for the Prima and Prima Pro



COA2003

PRIMA/PRO OVEN ANVIL - SHELF  
435 x 315mm



COA0010

BAKING TRAY - PERFORATED - 435 x 315 x 10mm



COA2004

CONVECTION OVEN ANVIL - SOLID TRAY PRIMA  
435 x 315 x 10mm



## COMBI STEAM OVENS - 6 pan mechanical

## FEATURES

- 18kW 3 Phase oven
- 250°C Thermostat
- Capacity for 6 baking trays 600mm wide, or 6 gastronorm dishes(COA2006)
- Capacity for 10 baking trays 600mm wide, or 10 gastronorm dishes(COA2010)
- 80mm spacing between shelves
- Large single capacity powerful circulating fan
- Steam injection solenoid valve controlled by energy regulator with 6 settings

- Slam shut door handle
- Full glass viewing door
- Push button operation
- Rapid heating
- Excellent heat distribution and airflow
- Fast cooking and recovery time
- Perfect for meat, vegetables and baked products
- Compact modern design, easy to operate



- ☒ 120V COA2006
- ☑ 60Hz COMBI STEAM OVEN - 6 PAN - ELEC

## SPECIFICATIONS

POWER:	12kW
VOLTAGE:	380V – 3 PHASE- 50Hz (Neutral and Earth)
DIMENSIONS:	980 x 965 x 755mm
CHAMBER DIMENSIONS:	702 x 470 x 528mm
CAPACITY:	6 TRAYS
RUNNER SPACING:	80mm
WEIGHT:	124kg

## NOTE

- COA2006 - INCLUDES: 2 x Chrome Grids, 1 x Dip Tray
- COA2010 - INCLUDES: 2 x Chrome Grids, 1 x Dip Tray
- Made in RSA

## COMBI STEAM OVENS - 10 pan mechanical



- ☒ 120V COA2010
- ☑ 60Hz COMBI STEAM OVEN - 10 PAN - ELEC

## SPECIFICATIONS

POWER:	18kW
VOLTAGE:	380V – 3 PHASE- 50Hz (Neutral and Earth)
DIMENSIONS:	980 x 965 x 1090mm
CHAMBER DIMENSIONS:	702 x 470 x 864mm
CAPACITY:	10 TRAYS
RUNNER SPACING:	80mm
WEIGHT:	145kg

## NOTE

- COA2006 - INCLUDES: 2 x Chrome Grids, 1 x Dip Tray
- COA2010 - INCLUDES: 2 x Chrome Grids, 1 x Dip Tray
- Made in RSA

## COMBI STEAM OVENS - 20 pan mechanical



- ☒ 120V COA2020
- ☑ 60Hz COMBI STEAM OVEN - 20 PAN - ELEC

## SPECIFICATIONS

POWER:	36kW
VOLTAGE:	380V – 3 PHASE- 50Hz (Neutral and Earth)
DIMENSIONS:	1008 x 928 x 1970mm
CHAMBER DIMENSIONS:	506 x 642 x 1490mm
CAPACITY:	20 TRAYS
RUNNER SPACING:	65mm
WEIGHT:	350kg


## NOTE

- COA2020 - INCLUDES: 20 x Chrome Grids
- COA2020 - INCLUDES: 1 x Roll in Trolley
- Made in RSA

## COMBI STEAM / CONVECTION OVEN - Trays

## Note

Suitable for the Grande Forni Ovens, Anvil and Piron Combi Steam Ovens (6 & 10 pan)



COR3001  
CHROME GRID ONLY 600 x 400mm



COR3003  
BAKING TRAY PERFORATED 600 x 400 x 10mm



BTA001  
BAKING TRAY ALUMINIUM 600 x 400 x 20mm





HOT FOOD BARS

FEATURES

- Counter top unit can be fitted on or into counter
- Robust Stainless Steel construction
- Curved front glass providing great display of product and acting as a sneeze guard
- Specially designed element to ensure excellent heat distribution
- Inserts excluded
- Illuminated via flourescent lighting for perfect product presentation
- Adjustable feet for levelling on uneven surfaces



✓ 120V

**BMA4003**  
HOT FOOD BAR - 3 DIVISION  
**SPECIFICATIONS**  
VOLTAGE: 230V  
POWER: 1.8kW  
DIMENSIONS: 1074 x 710 x 728mm  
WEIGHT: 69.5kg  
DIVISIONS: 3

NOTE

- Food pans sold separately
- Made in RSA


RISER SHELVES

FEATURES

- Keeps food warm at the right temperature to be served
- Perfect for restaurants, canteens and fast food lines
- Easy pass-through and access from kitchen
- Can be used as a plate warmer
- Power light to indicate when element is energised, only the top shelf is energized with an element.
- Variable heat control
- Element configuration provides even heat distribution
- Flat Packed



Heated



Neutral

✓ 120V

**RSA1100**  
RISER SHELF HEATED - 1100mm  
**SPECIFICATIONS**  
POWER RATING: 1.5kW  
VOLTAGE: 230V  
DIMENSIONS: 1060 x 390 x 500mm  
WEIGHT: 12.4kg

✓ 120V

**RSA1700**  
RISER SHELF HEATED - 1700mm  
**SPECIFICATIONS**  
POWER RATING: 2.3kW  
VOLTAGE: 230V  
DIMENSIONS: 1660 x 390 x 500mm  
WEIGHT: 17.2kg

OTHER ORDER CODES

RSA1101 - RISER SHELF NEUTRAL - 1100mm  
RSA1701 - RISER SHELF NEUTRAL - 1700mm

Note

Made in RSA

SALAMANDER - Gas

FEATURES

- Full Stainless Steel construction
- Brackets provided to secure unit to wall
- Top surface with wire grid to allow for plate warming
- Adjustable levelling feet
- Provided with removable back cover so that unit can be used as pass through hatch
- High performance radiant ceramic burner
- Controls with flame failure safety
- Adjustable shelf with 3 positions, fitted with removable handles to ensure user comfort
- Unit provided with LPG regulator and hose



✓ Ngas

**SAG0002**  
SALAMANDER - GAS - 75Lt  
**SPECIFICATIONS**  
GAS: LPG  
OUTPUT: 18000 BTU  
DIMENSIONS: 897 x 493 x 510mm  
PACKED WEIGHT: 30.5kg  
REGULATOR: Yes



Note

Made in RSA

SALAMANDER - Electric

FEATURES

- Perfect for restaurants, pubs, coffee shops, cafes, etc
- Comes standard with 1 crumb tray (Removable cover allows for front and rear access) For SAA0003 only
- These salamanders are ideal for: toasting approx 200 - 400 slices an hour, defrosting of ready-made dishes, reheating pizzas, croissants, sausage rolls, fried eggs, etc
- Gratinating onion soups, cheese sandwiches etc
- Use as a plate warmer or pass through hatch
- Pass through not applicable to SAA0005



✗ 120V

**SAA0003**  
SALAMANDER - INCOLOY - 2.8kW INCOLOY SALAMANDER  
**SPECIFICATIONS**  
POWER: 2.8kW  
VOLTAGE: 230V  
DIMENSIONS: 728 x 350 x 428mm  
SHELF DIMENSIONS: 330 x 640mm  
RUNNER SPACING: 65mm  
WEIGHT: 15.6kg

✗ 120V

**SAA0005**  
SALAMANDER - INCOLOY - 3kW (30Lt) INCOLOY SALAMANDER  
**SPECIFICATIONS**  
POWER: 3.0kW  
VOLTAGE: 230V  
DIMENSIONS: 480 x 316 x 379mm  
SHELF DIMENSIONS: 240 x 380mm  
RUNNER SPACING: 50mm  
WEIGHT: 10.4kg

Note

Made in RSA



## POTATO PEELER



### PROCESSING

Our processing equipment will make sure you can prepare, mix or preserve your food with ease. These products are designed, sourced and produced with the end-user in mind.

#### FEATURES

- Tried and tested robust door, designed with ease of use in mind
- Stand and sludge trap supplied as standard
- Improves your profits by easily preparing your own chips on your premises
- Flat packed for easy delivery
- Peels 12kg of potatoes in 2 minutes
- Potato ejection chute specially designed to ensure minimal damage to potatoes when ejecting - even extra large potatoes

- Splash guard fitted onto motor, to ensure damage due to water penetration, is minimized
- Removable gritting system
- Injection moulded wave plate with replaceable grit plates.
- High grade Stainless Steel drum
- User friendly door handle mechanism
- Rubber lid, to minimise vibration noise



NEW DOOR HANDLE MECHANISM AND DOOR SEAL WHICH ALLOWS FOR EASY DISPENSING OF ALL SIZES OF POTATOES



SPLASH GUARD FITTED ONTO MOTOR TO ENSURE DAMAGE DUE TO WATER PENETRATION IS MINIMIZED

☒ 120V PPA0012  
POTATO PEELER - 12kg

PPA1012  
POTATO PEELER - 12kg WITH TIMER

#### SPECIFICATIONS

OUTPUT: Up to 240kg /hr  
VOLTAGE: 230V - 50Hz  
POWER: 0.55kW  
DIMENSIONS: 775 x 900 x 1315mm  
WEIGHT: 62.7kg

Note  
Made in RSA

## CHEESE CUTTER MANUAL

CCM0400

CHEESE CUTTER MANUAL - 400mm

XCCM0001

CHEESE CUTTER REPLACEMENT WIRE - PACK OF 6

Note  
Made in RSA



## WRAPPING MACHINES

☒ 120V WMW4380  
WRAPPING MACHINE S/STEEL- HIGH BAR - 380mm

#### SPECIFICATIONS


POWER: 0.175kW  
VOLTAGE: 230V  
DIMENSIONS: 463 x 670 x 158mm  
WEIGHT: 5.7kg  
MAX ROLL SIZE: 380mm

#### NOTE

- Fitted with a water resistant, long lasting pad element
- Excludes plastic wrapping
- Made in RSA



(High Bar fixture)



☒ 120V WMW4500  
WRAPPING MACHINE S/STEEL- HIGH BAR - 500mm

#### SPECIFICATIONS

POWER: 0.21kW  
VOLTAGE: 230V  
DIMENSIONS: 583 x 670 x 158mm  
WEIGHT: 6.5kg  
MAX ROLL SIZE: 500mm

